Fixed Medical Xray Machine Dental Clinic Medical Equipment 110V

Basic Information

Place of Origin: China

Brand Name: VOLITION

• Certification: ISO13485 FSC

Minimum Order

Quantity:

• Price: Negotiable

• Packaging Details: Standard Exportation Package

• Delivery Time: 7-15 work days

• Payment Terms: LC, T/T, D/P, PayPal, Western Union



Product Specification

Image Intensifier

1.5-2.5 Lp/mm

Resolution:

• Type: Fixed Or Mobile

• X-Ray Tube Cooling: Air Or Oil

Image Intensifier

1.5-2.5x

Magnification:

• Tube Current: 0.5-5 MA

• Image Intensifier

Cesium Iodide Or Gadolinium Oxysulfide

Material:

• Image Intensifier Field

Of View:

9 Inch: 23 Cm, 12 Inch: 30 Cm

• Image Processing: Digital Or Analog

• Highlight: clinic medical xray machine,

110V medical xray machine,

Product Description:

The tube voltage of the Fluoroscope X Ray Machines ranges from 50-150 KV, allowing for a wide range of diagnostic imaging options. The X-ray tube focal spot ranges from 0.3-1.5 mm, providing high-resolution imaging for accurate diagnosis.

The Fluoroscope X Ray Machines are equipped with image intensifiers that provide high-resolution imaging with a resolution of 1.5-2.5 Lp/mm. The image processing technology on these machines is available in both digital and analog formats. This allows for easy storage and retrieval of patient data, making it an ideal solution for veterinary digital dental radiography equipment, veterinary radiology equipment, and veterinary dental radiography equipment.

The Fluoroscope X Ray Machines are designed to be user-friendly, making them easy to operate for medical professionals. They also feature advanced safety features to ensure patient safety during procedures.

Overall, the Fluoroscope X Ray Machines are an excellent investment for any medical facility. They provide high-quality imaging capabilities, user-friendly operation, and advanced safety features. Whether you are looking for veterinary digital dental radiography equipment, veterinary radiology equipment, or veterinary dental radiography equipment, the Fluoroscope X Ray Machines are an excellent choice.

Features:

Product Name: Fluoroscope X Ray Machines

Image Intensifier: 9 Inch Or 12 Inch Image Intensifier Magnification: 1.5-2.5x X-Ray Tube Focal Spot: 0.3-1.5 Mm

Tube Current: 0.5-5 MA

Image Processing: Digital Or Analog

Our Fluoroscope X Ray Machines offer high-quality imaging with a choice of a 9 inch or 12 inch image intensifier. The image intensifier magnification ranges from 1.5-2.5x, and the x-ray tube focal spot ranges from 0.3-1.5 mm. The tube current ranges from 0.5-5 MA, and the image processing options include digital or analog. Our portable dental xray unit is perfect for dental offices, and our digital dental x ray machine is a great addition to any dental practice.

Technical Parameters:

Technical Parameter	Value
Image Intensifier Resolution	1.5-2.5 Lp/mm
X-Ray Tube Focal Spot	0.3-1.5 Mm
Image Intensifier Material	Cesium Iodide Or Gadolinium Oxysulfide
Image Intensifier Magnification	1.5-2.5x
X-Ray Tube Cooling	Air Or Oil
Tube Voltage	50-150 KV
Image Intensifier	9 Inch Or 12 Inch
Tube Current	0.5-5 MA
Power Supply	AC Or DC
X-Ray Generator	High Frequency Or Constant Potential

This small portable x ray machine offers high quality images with an image intensifier resolution of 1.5-2.5 Lp/mm and a focal spot range of 0.3-1.5 Mm. The image intensifier is made of either cesium iodide or gadolinium oxysulfide and offers a magnification range of 1.5-2.5x, with options for 9 or 12 inch sizes. The x-ray tube cooling system can be either air or oil, and the tube voltage range is 50-150 KV with tube currents ranging from 0.5-5 MA. The power supply options include AC or DC and the x-ray generator can be either high frequency or constant potential. This mobile digital x ray machine is a versatile and reliable option for medical professionals.

Applications:

The digital or analog image processing ensures that the images are of high quality and accurate, making it suitable for use in a variety of medical applications. The image intensifier comes in two sizes, 9 inches or 12 inches, to cater to different medical needs. The machine is available in a fixed or mobile type, giving users the flexibility to use it in different locations.

The VOLITION fluoroscope X-ray machine is perfect for use in periapical x-ray machine, digital x-ray machine veterinary, and portable dental x-ray unit scenarios. Its tube current of 0.5-5 MA and x-ray tube focal spot of 0.3-1.5 mm makes it ideal for use in dental clinics and veterinary hospitals.

The VOLITION fluoroscope X-ray machine is easy to operate and maintain. Its compact size and lightweight design make it easy to move around and store. Its durability ensures that it can withstand the rigors of daily use.

Customization:

Choose between AC or DC power supply and select the type of X-Ray Generator that best suits your needs - High Frequency or Constant Potential. You can also choose between a 9-inch or 12-inch Image Intensifier and select the Tube Voltage that best suits your requirements (50-150 KV).

Additionally, you can specify the Image Intensifier Material - Cesium Iodide or Gadolinium Oxysulfide - to ensure that your machine performs optimally for your specific application. Our mobile digital x ray machine is versatile and can be customized to meet a wide range

Contact us today to learn more about our product customization services for our digital x ray equipment.

Packing and Shipping:

Product Packaging:

The Fluoroscope X Ray Machine will be securely packaged in a wooden crate.

All necessary accessories and tools will be included.

The crate will be labeled with the product name, model number, and handling instructions.

Shipping:

The product will be shipped via a reliable carrier.

Shipping costs will be calculated based on the destination and weight of the product.

Customers will be provided with a tracking number to monitor the status of their shipment.

Delivery times may vary depending on the destination and shipping method selected.



Liuyang Volition Medical Equipment Co., Ltd.



+86 17775818268



258031353@qq.com



xray-system.com

76 Jianshou Ave, Economic and Technological Development Zone, Liuyang, Hunan, China