

OEM Dental Digital Radiology Equipment X Ray Machine High Frequency

Our Product Introduction

for more products please visit us on xray-system.com

Basic Information

- Place of Origin: China
- Brand Name: VOLITION
- Certification: ISO13485, FSC
- Minimum Order Quantity: 1
- Price: Negotiable
- Packaging Details: Standard Exportation Package
- Delivery Time: 7-15 work days
- Payment Terms: LC, T/T, D/P, PayPal, Western Union



Product Specification

- Model: Revolution EVO
- Pixel Size: 100 μ m
- Image Processing: Image Intelligence
- Imaging Area: 43 X 43 Cm
- X-Ray Tube: 3.5 KW
- Exposure Time: 0.5 - 200 Ms
- Technology: Digital Radiography
- Detector Type: Flat Panel Detector
- Highlight: **OEM Digital Radiology Equipment,
XRay Digital Radiology Equipment,
OEM digital dental x ray machine**

Product Description

Product Description:

Our Digital Radiology Equipment is equipped with a power supply of 100-240 VAC, 50/60 Hz, which ensures reliable and efficient performance. The system has dimensions of 220 X 220 X 240 Cm, making it compact and easy to install in any facility. The Digital Radiology Equipment uses a pixel size of 100 μ m, resulting in superior image quality and resolution. This feature is particularly useful in industrial x-ray applications, where the smallest defects in materials can have a significant impact on product quality and safety. The portable x-ray system option allows for easy transport, making it ideal for on-site inspections of large machinery or infrastructure. In addition to industrial applications, our Digital Radiology Equipment is also well-suited for veterinary digital radiography. Its advanced imaging capabilities allow for the detection of even the smallest abnormalities, ensuring accurate diagnosis and treatment of animals. The system is designed to be user-friendly, with intuitive controls and a streamlined interface, making it easy for veterinarians to use without extensive training. Overall, the Digital Radiology Equipment is a versatile and reliable fixed radiography system that provides exceptional image quality and resolution for a variety of applications, including industrial x-ray, portable x-ray system, and veterinary digital radiography. Its compact design, powerful technology, and user-friendly interface make it an ideal choice for professionals in a range of industries.

Features:

Product Name: Digital Radiology Equipment
Image Resolution: Up To 10 Lp/mm
Generator Type: High Frequency
Pixel Size: 100 μ m
Detector Type: Flat Panel Detector
Power Supply: 100-240 VAC, 50/60 Hz
Portable X Ray System: Yes
Digital X Ray Machine Portable: Yes
Digital X Ray Machine Portable: Yes

Technical Parameters:

Imaging Area:	43 X 43 Cm
X-Ray Tube:	3.5 KW
Image Resolution:	Up To 10 Lp/mm
Detector Type:	Flat Panel Detector
Exposure Time:	0.5 - 200 Ms
Type:	Fixed Radiography System
Generator Type:	High Frequency
Power Supply:	100-240 VAC, 50/60 Hz
Image Processing:	Image Intelligence
Model:	Revolution EVO

This Digital Radiology Equipment is not a handheld portable x ray machine, veterinary radiography machine, or conventional x ray machine. It is a fixed radiography system with a flat panel detector and high frequency generator. It has an imaging area of 43 X 43 Cm, X-Ray Tube of 3.5 KW, and image resolution of up to 10 Lp/mm. The exposure time ranges from 0.5 - 200 Ms and it has image processing capabilities using Image Intelligence. The power supply is 100-240 VAC, 50/60 Hz. Its model is Revolution EVO.

Applications:

Customization:

Packing and Shipping:

Product Packaging:
High-quality, durable cardboard box
Protective foam inserts to secure the equipment
User manual and warranty information included
Shipping:

Ships within 2 business days of purchase
Free shipping within the United States
International shipping available at an additional cost
Tracking information provided once item ships



Liuyang Volition Medical Equipment Co., Ltd.



+86 17775818268



258031353@qq.com



xray-system.com

76 Jianshou Ave, Economic and Technological Development Zone, Liuyang, Hunan, China